



Stetter

Basic Line C3

Technical Data

Type	AM	6 C	7 C	8 C
Nominal volume		6m ³	7m ³	8m ³
Total geometric volume	l	11530	12710	14120
Water line	l	7180	8150	9340
Weight of mixer				
a) vehicle engine (FH)	kg	3370	3463	3770
b) separate engine (SH)	kg	3780	3870	4350
A: Drum diameter	mm	2300	2300	2300
B: Height of feed hopper*	mm	2425	2425	2499
C: Clearance height*	mm	2429	2426	2503
D: Transfer height of discharge shell*	mm	1029	1027	1101

Type	AM	9 C	10 C
Nominal volume		9m ³	10m ³
Total geometric volume	l	15810	17040
Water line	l	10390	11400
Weight of mixer			
a) vehicle engine (FH)	kg	3920	3990
b) separate engine (SH)	kg	4550	4620
A: Drum diameter	mm	2300	2300
B: Height of feed hopper*	mm	2474	2532
C: Clearance height*	mm	2534	2592
D: Transfer height of discharge shell*	mm	1089	1147

Type	AM	12 C	15 C
Nominal volume		12m ³	15m ³
Total geometric volume	l	19170	23520
Water line	l	13280	16330
Weight of mixer			
a) vehicle engine (FH)	kg	4950	5380
b) separate engine (SH)	kg	5580	5380
A: Drum diameter	mm	2400	2400
B: Height of feed hopper*	mm	2548	2568
C: Clearance height*	mm	2633	2671
D: Transfer height of discharge shell*	mm	1169	1211

*without mixer body frame
(F/H)/(S/H) Weight indication
completely mounted / ready for
operation acc. to DIN 70020, tolerance
+/- 5 %